

HNO

kompakt

DIE FORTBILDUNGSZEITSCHRIFT

Literatur

Nasenspülungen – Wirksamkeit und Indikationen

von Rainer K. Weber

1. Adam P, Stiffman M, Blake RL. A clinical trial of hypertonic saline nasal spray in subjects with the common cold or rhinosinusitis. *Arch Fam Med* 1998; 7: 39-43
2. Bachmann G, Hommel G, Michel O. Effect of irrigation of the nose with isotonic salt solution on adult patients with chronic paranasal sinus disease. *Eur Arch Otorhinolaryngol* 2000; 257: 537-541
3. Badre R, Dirnagl K, Guillerm R, Hee J, Kummer A, Schnelle KW. Untersuchungen über die Wirkung von Bad Emser Quellprodukten auf das Flimmerepithel. *Z Angew Bäder Klimaheilkd* 1970; 17: 40-58.
4. Baraniuk JN, Ali M, Yuta A, Fang SY, Naranch K. Hypertonic saline nasal provocation stimulates nociceptive nerves, substance P release, and glandular mucous exocytosis in normal humans. *Am J Respir Crit Care Med* 1999; 160: 655-662
5. Beule A, Athanasiadis T, Athanasiadis E, Field J, Wormald PJ. Efficacy of different techniques of sinonasal irrigation after modified Lothrop procedure. *Am J Rhinol Allergy* 2009; 23: 85-90
6. Boek WM, Keles N, Graamany K, Hui-zing EH. Physiologic and hypertonic saline solutions impair ciliary activity in vitro. *Laryngoscope* 1999; 109: 396-399
7. Brown CL, Graham SC. Nasal irrigation: good or bad? *Curr Opin Otolaryngol Head Neck Surg* 2004; 12: 9-13
8. Burton MJ et al. Extracts from the Cochrane Library: Nasal saline irrigations for the symptoms of chronic rhinosinusitis. *Otolaryngol Head Neck Surg* 2007; 137: 532-534
9. Daviskas E, Anderson SD. Hyperosmolar agents and clearance of mucus in the diseased airway. *J Aerosol Med* 2006; 19: 100-109
10. Decirmencioglu H, Karadag A, Avci Z, Kartaran H, Catal Z. Is hypertonic saline better than normal saline for allergic rhinitis in children? *Pediatr Allergy Immunol* 2004; 15: 190
11. Elkins MR et al. A controlled trial of long-term inhaled hypertonic saline in patients with cystic fibrosis. *N Engl J Med* 2006; 354: 229-240
12. Ellegard E. Schwangeschaftsrhinitis. In: Weber R (Hrsg.) *Rhinitis – Diagnose, Differentialdiagnose, Therapie*. Kaden Verlag, Heidelberg 2007: 72-77
13. Espenschied S, Dodenhöft J, Lehr S, Böhne-Lampert P, Weber RK. Topische nasale Therapie nach endonasaler Nasennebenhöhlenoperation mittels pulsierender Inhalation versus Pumpsprayapplikation. *Laryngorhinootol* 2010; (im Druck)
14. Fokkens WJ et al. European Position Paper on Rhinosinusitis and Nasal Polyps. *Rhinology* 2007; Suppl 20: 1-136
15. Foonant S, Chaiyasate S, Roongrotwattanasiri K. Comparison on the efficacy of dexpanthenol in sea water and saline in postoperative endoscopic sinus surgery. *J Med Assoc Thai* 2008; 91: 1558-1563

16. Freeman SR, Sivayoham ES, Jepson K, De Carpentier J. A preliminary randomised trial evaluating the efficacy of saline douching following endoscopic sinus surgery. *Clin Otolaryngol* 2008; 33: 462-465
17. Friedman M, Vidyasagar R, Joseph N. A randomized, prospective, double-blind study on the efficacy of dead sea salt nasal irrigations. *Laryngoscope* 2006; 116: 878-882
18. Garavello W, Di Berardino F, Romagnoli M, Sambataro G, Gaini RM. Nasal rinsing with hypertonic solution: an adjunctive treatment for pediatric seasonal allergic rhinoconjunctivitis. *Int Arch Allergy Immunol* 2005; 137: 310-314
19. Garavello W, Romagnoli M, Sordo L, Gaini RM, di Berardino C, Angrisano A. Hypersaline nasal irrigation in children with symptomatic seasonal allergic rhinitis: a randomized study. *Pediatr Allergy Immunol* 2003; 14: 140-143
20. Garavello W, Somigliana E, Acaia B, Gaini L, Pignataro L, Gaini RM. Nasal lavage in pregnant women with seasonal allergic rhinitis: a randomized study. *Int Arch Allergy Immunol* 2010; 15: 137-141
21. Gelardi M, Mezzoli A, Fiorella ML, Carbonara M, Di Gioacchioni M, Ciprandi G. Nasal irrigation with lavonase as ancillary treatment of acute rhinosinusitis: a pilot study. *J Biol Regul Homeost Agents* 2009; 23: 79-84
22. Georgitis JW. Nasal hyperthermia and simple irrigation for perennial rhinitis. Changes in inflammatory mediators. *Chest* 1994; 106: 1487-1492
23. Greiff L, Andersson M, Wollmer P, Persson CG. Hypertonic saline increases secretory and exudative responsiveness of human nasal airway in vivo. *Eur J Respir* 2003; 21: 308-312
24. Grobler A, Weitzel EK, Beule A, Jardeleza, Cheong YC, Filed J, Wormald PJ. Pre- and postoperative sinus penetration of nasal irrigation. *Laryngoscope* 2008; 118: 2078-2081
25. Haidl P, Schöndorfer B, Siemon K, Köhler D. Inhaled isotonic alkaline versus saline solutions and radioaerosol clearance in chronic cough. *Eur Respir J* 2000; 16: 1102-1108
26. Harvey R et al. Nasal saline irrigations for the symptoms of chronic rhinosinusitis. *Cochrane Database of Systematic Reviews* 2007, Issue 4
27. Harvey RJ, Debnath N, Srubiski A, Bleier B, Schlosser RJ. Fluid residuals and drug exposure in nasal irrigation. *Otolaryngol Head Neck Surg* 2009; 141: 757-761
28. Harvey RJ, Goddard JC, Wise SK, Schlosser RJ. Effects of endoscopic sinus surgery and delivery device on cadaver sinus irrigation. *Otolaryngol Head Neck Surg* 2008; 139: 137-142
29. Harvey RJ, Schlosser RJ. Local drug delivery. *Otolaryngol Clin North Am* 2009; 42: 829-845
30. Hauptman G, Ryan MW. The effect of saline solutions on nasal patency and mucociliary clearance in rhinosinusitis patients. *Otolaryngol Head Neck Surg* 2007; 137: 815-821
31. Heatley DG, McConnell KE, Kille TL, Levenson GE. Nasal irrigation for the alleviation of sinonasal symptoms. *Otolaryngol Head Neck Surg* 2001; 125: 44-48
32. Högman M, Mörk A-C, Roomans GM. Hypertonic saline increases tight junction permeability in airway epithelium. *Eur Respir J* 2002; 20: 1444-1448
33. Homer JJ, Dowley AC, Condon L, El-Jassar P, Sood S. The effect of hypertonicity on nasal mucociliary clearance. *Clin Otolaryngol Allied Sci* 2000; 25: 558-560
34. Houtmeyers E, Gosselink R, Gayan-Ramirez G, Decramer M. Effects of drugs on mucus clearance. *Eur Respir J* 1999; 14: 452-467
35. Hwang PH, Woo RJ, Fong KJ. Intranasal deposition of nebulized saline: a radionuclide distribution study. *Am J Rhinol* 2006; 20: 255-261
36. Hyo N, Takano H, Hyo Y. Particle deposition efficiency of therapeutic aerosols in the human maxillary sinus. *Rhinology* 1989; 27: 17-26
37. Inanli S, Oztürk O, Korkmaz M, Tutkun A, Batman C. The effects of topical agents of fluticasone propionate, oxymetazoline, and 3% and 0,9% sodium chloride solutions on mucociliary clearance in the therapy of acute bacterial rhinosinusitis in vivo. *Laryngoscope* 2002; 112: 320-325
38. Ingels KJ, Kortmann MJ, Nijziel MR, Graamans K, Huizing EH. Factors influencing ciliary beat measurements. *Rhinology* 1991; 29: 17-26
39. Johannssen V, Maune S, Erichsen H, Hedderich H, Werner JA. Der Einfluß der postoperativen Schleimhautpflege auf die nasal Bakterienflora: Prospektive Untersuchung zweier Spülverfahren mit NaCl-Lösung nach Nasennebenhöhlenchirurgie. *Laryngo-Rhino-Otol* 1996; 75: 580-583
40. Jorissen M. Postoperative care following endoscopic sinus surgery. *Rhinology* 2004; 42: 114-120
41. Kassel JC, King D, Spurling GK. Saline nasal irrigation for acute upper respiratory tract infections (Review). *Cochrane Library* 2010, Issue 3: CD
42. Keerl R, Weber R, Müller C, Schick B. Zur Effizienz und Verträglichkeit der Nasenspülung nach endonasaler Nasennebenhöhlenoperation. *Laryngo-Rhino-Otol* 1997; 76: 137-141
43. Keerl R. Effektivität der Nasenspülung. Vergleich zweier Nasenduschen. *HNO aktuell* 2005; 13: 97-99
44. Kim CH, Song MH, Ahn YE, Lee JG, Yoon JH. Effect of hypo-, iso- and hypertonic saline irrigation of secretory mucins and morphology of cultured human nasal epithelial cells. *Acta Otolaryngol* 2005; 125: 1296-1300
45. Klimek L, Johannssen V, Hundorf I, Hommel G, Hörmann K. Läßt sich der Medikamentenverbrauch bei Patienten mit saisonaler Rhinitis allergica durch Nasenspülbehandlung mit isoosmotischer Emser Salzlösung reduzieren? *Allergologie* 2001; 24: 309-315
46. Krayenbuhl M, Seppey M. Efficacité de Rhinomer force 3 dans les suites opératoires de la chirurgie endonasale. *Rev Med Suisse Romande* 1995; 115: 1-4

47. Lee JM, Nayak JV, Doghramji LL, Welch KC, Chiu AG. Assessing the risk of irrigation bottle and fluid contamination after endoscopic sinus surgery. *Am J Rhinol Allergy* 2010; 24: 197-199
48. Li H, Sha Q, Zuo K, Jiang H, Cheng L, Shi J, Xu G. Nasal saline irrigation facilitates control of allergic rhinitis by topical steroid in children. *ORL* 2009; 71:50-55
49. Liang KL, Kao TC, Lin JC, Tseng HC, Su MC, Hsin CH, Shiao JY, Jiang RS. Nasal irrigation reduces postirradiation rhinosinusitis in patients with nasopharyngeal carcinoma. *Am J Rhinol* 2008; 22: 258-262
50. Liang KL, Su MC, Tseng HC, Jiang RS. Impact of pulsatile nasal irrigation on the prognosis of functional endoscopic sinus surgery. *J Otolaryngol Head Neck Surg* 2008; 37: 148-153
51. Mainz J, Koitschev A. Management of chronic rhinosinusitis in CF. *J Cystic Fibrosis* 2009; 8 (Suppl I) S10-14
52. Mainz J, pers. Mitteilung
53. Maune S, Johannssen V, Salhy H, Werner JA. Prospective randomized investigation for evaluation of postoperative changes in the microbial climate of paranasal mucosa by the use of different dissolving techniques during postoperative care. *Rhinology* 1999; 37: 113-116
54. Merkus P, Ebbens FA, Müller B, Fokkens WJ. The „best technique“ of topical nasal drug delivery: comparison of seven techniques. *Rhinology* 2006; 44: 102-107
55. Michel O, Charon J. Postoperative Inhalationsbehandlung nach Nasennebenhöhleneingriffen. *HNO* 1991; 39: 433-438
56. Michel O, Essers S, Heppt WJ, Johannssen V, Reuter W, Hommel G. The value of Ems Mineral Salt in the treatment of rhinosinusitis in children. Prospective study on the efficacy of mineral salts versus xylometazoline in the topical nasal treatment of children. *Int J Pediatr Otorhinolaryngol* 2005; 69: 1359-1365
57. Michel O. Nasenspülung bei Rhinosinusitis. *Laryngo-Rhino-Otol* 2006; 85: 448-458
58. Middleton PG, Pollard KA, Wheatley JR. Hypertonic saline alters ion transport across the human airway epithelium. *Eur Respir J* 2001; 17: 195-199
59. Miller TR, Muntz HR, Gilbert ME, Orlandi RR. Comparison of topical medication delivery systems after sinus surgery. *Laryngoscope* 2004; 114: 201-204
60. Min YG, Lee KS, Yun JB, Rhee CS, Rhyoo C, Koh YY, Yi WJ, Park KS. Hypertonic saline decreases ciliary movement in human nasal epithelium in vitro. *Otolaryngol Head Neck Surg*. 2001; 124: 313-316
61. Miwa M, Matsunga M, Nakajima N, Yamaguchi S, Watanabe K. Hypertonic saline alters electrical barrier of the airway epithelium. *Otolaryngol Head Neck Surg* 2007; 136: 62-66
62. Miwa M, Nakajima N, Matsunaga M, Watanabe K. Measurement of water loss in human nasal mucosa. *Am J Rhinol* 2006; 20: 453-455
63. Nsouli TM, Schluckebier CD, McSorley-Gerard EJ, Chabal N, Burke I. Long-term use of nasal saline irrigation: harmful or helpful? *Ann Allergy Asthma Immunol* 2009; 103 (Suppl 3) A3-146: 32 (Abstracts of the 2009 Annual Meeting of the American College of Allergy, Asthma and Immunology. November 5-10, 2009. Miami, Florida, USA)
64. Olson DE, Rasgon BM, Hilsinger RL. Radiographic comparison of three methods for nasal saline irrigation. *Laryngoscope* 2002; 112: 1394-1398
65. Papsin B, McTavish A. Saline nasal irrigation. *Can Fam Physician* 2003; 49: 168-173
66. Passali D, Damiani V, Passali FM, Passali GC, Bellussi L. Atomized nasal douche vs nasal lavage in acute viral rhinitis. *Arch Otolaryngol Head Neck Surg* 2005; 131: 788-790
67. Pynnonen MA et al. Nasal Saline for Chronic Sinonasal Symptoms. A Randomized Controlled Trial. *Arch Otolaryngol Head Neck Surg* 2007; 133: 1115-1120
68. Rabago D, Barrett B, Marchand L, Maberry R, Mundt M. Qualitative aspects of nasal irrigation use by patients with chronic sinus disease in a multimethod study. *Ann Fam Med* 2006; 4: 295-301
69. Rabago D, Pasic T, Zgierska A, Mundt M, Barrett B, Maberry R. The efficacy of hypertonic saline nasal irrigation among patients with sinusitis: a randomized controlled study. *J Fam Pract* 2002; 51: 1049-1055
70. Rabago D, Zgierska A, Mundt M, Barrett B, Bobula J, Maberry R. Efficacy of daily hypertonic saline nasal irrigation for chronic sinonasal symptoms. *Otolaryngol Head Neck Surg* 2005; 133: 3-8
71. Rabago D, Zgierska A, Peppard P, Bamber A. The prescribing patterns of Wisconsin family physicians surrounding saline nasal irrigation for upper respiratory conditions. *WMJ*. 2009; 108, 145-150
72. Rabago D, Zgierska A. Saline nasal irrigations for upper respiratory conditions. *Am Fam Physician* 2009; 80: 1117-1119, 1121
73. Robinson M, Hemming AL, Regnis JA, Wong AG, Bailey DL, Bautovich GJ, King M, Bye PT. Effect of increasing doses of hypertonic saline on ucciliary clearance in patients with cystic fibrosis. *Thorax* 1997; 52: 900-903
74. Rosenfeld RM. Clinical practice guideline on adult rhinosinusitis. *Otolaryngol Head Neck Surg* 2007; 137: 365-377
75. Scadding GK, Durham SR, Mirakian R, Jones NS, Drake-Lee AB, Ryan D, Dixon TA, Huber PA, Nasser SM. BSACI guidelines for the management of rhinosinusitis and nasal polyposis. *Clin Exp Allergy* 2007; 260-275
76. Schmidt T, Bitzer EM, Dörning H, Lüpsen H, Schwartz FW, Robra BP. Tägliches Nasespülen reduziert Atemwegsbeschwerden – eine randomisierte Crossover-Studie. *Gesundheitswesen* 2004; 66, DOI: 10.1055/s-2004-833862
77. Schmidt T. Die tägliche Nasenspülung mit Salzwasser zur Vorbeugung und

Behandlung von Atemwegserkrankungen. www.nasespuelen.de

78. Schulte-Overberg J, Heppt W, Weber R. Nasenspülung bei Erkrankungen der Nase und Nasennebenhöhlen – vergleichende Untersuchung und Literaturanalyse. Südwestdeutscher HNO-Kongress, Mainz, 17.–18.9.2010

79. Seppey M, Schweri T, Hausler R. Comparative randomised clinical study of tolerability and efficacy of Rinomer Force 3 versus a reference product in post-operative care of the nasal fossae after endonasal surgery. *ORL J Otorhinolaryngol Reakt Spec* 1996; 58: 87-92

80. Shosejov D, Bibi H, Sahi P, Shosejov N, Shazberg G, Hurvitz H. Treatment with hypertonic saline versus normal saline nasal wash of pediatric chronic sinusitis. *J Allergy Clin Immunol* 1998; 101: 602-605

81. Slapak I et al. Efficacy of Isotonic Nasal Wash (Seawater) in the Treatment and Prevention of Rhinitis in Children. *Arch Otolaryngol Head Neck Surg* 2008; 134: 67-74

82. Snidvongs K, Chaowanapanja P, Aeumjaturapat S, Chusakul S, Praweswararat P. Does nasal irrigation enter paranasal sinuses in chronic rhinosinusitis. *Am J Rhinol* 2008; 22: 483-486

83. Süslü N, Bajin MD, Süslü AE, Ogretmenoglu O. Effects of buffered 2,3%, buffered 0,9%, and non-buffered 0,9% irrigation solutions on nasal mucosa after septoplasty. *Eur Arch Otorhinolaryngol* 2009; 266: 685-689

84. Taccariello M, Parikh A, Darby Y, Scadding G. Nasal douching as a valuable adjunct in the management of chronic rhinosinusitis. *Rhinology* 1999; 37: 29-32

85. Talbot AR, Herr TM, Parsons DS. Mucociliary clearance and buffered hypertonic saline solution. *Laryngoscope* 1997; 107: 500-503

86. Tano L, Tano K. A daily nasal spray with saline prevents symptoms of rhinitis. *Acta Otolaryngol* 2004; 124: 1059-1062

87. Tomooka LT, Murphy C, Davidson TM. Clinical study and literature review of nasal irrigation. *Laryngoscope* 2000; 110: 1189-1193

88. Ünal M, Görür K, Özcan C. Ringer-Lactate solution versus isotonic saline solution on mucociliary function after nasal septal surgery. *J Laryngol Otol* 2001; 115: 796-797

89. Ural A, Oktemer TK, Kizil Y, Ileri F, Uslu S. Impact of isotonic and hypertonic saline solutions on mucociliary activity in various nasal pathologies: clinical study. *J Laryngol Otol* 2009; 123: 517-521

90. Valente JH, Forti RJ, Freundlich LF, Zandieh SO, Crain EF. Wound irrigation in children: saline solution or tap water? *Ann Emerg Med* 2003; 41: 609-616

91. Valentine RJ, Athanasiadis T, Thwin M, Singhal D, Weitzel EK, Wormald PJ. A prospective controlled trial of pulsed nasal nebulizer in maximally dissected cadaver. *Am J Rhinol* 2008; 22: 390-394

92. Wabnitz DA, Wormald PJ. A blinded, randomized, controlled study on the effect of buffered 0.9% and 3% sodium chloride intranasal sprays on ciliary beat frequency. *Laryngoscope* 2005; 115: 803-805

93. Wang YH, Yang CP, Ku MS, Sun HL, Lue KH. Efficacy of nasal irrigation in the treatment of acute sinusitis in children. *Int J Pediatr Otorhinolaryngol* 2009; 73: 1696-1701

94. Wark P, McDonald VM. Nebulised hypertonic saline for cystic fibrosis. *Cochrane Database Syst Rev* 2009: CD001506

95. Weber R, Hosemann W. Nachbehandlung nach Nasennebenhöhlenoperation. In: Weber R, Hosemann W (Hg.) *Nachbehandlung nach HNO-Operationen*. Giebel Verlag, Eiterfeld 2010

96. Weber R. Nasenspülungen bei akuten Infektionen der oberen Atemwege im Kindesalter. 2010 [in Vorbereitung]

97. Weber R, Keerl R, Schick B, Huppmann A, Draf W. Der Einfluß der Nachbehandlung auf die Wundheilung nach endonasaler Nasennebenhöhlenoperation. *Laryngol Rhinol Otol* 1996; 75: 208-214

98. Welch KC, Cohen MB, Doghramji LL, Cohen NA, Chandra RK, Palmer JN, Chiu AG. Clinical correlation between irrigation bottle contamination and clinical outcomes in post-functional endoscopic sinus surgery patients. *Am J Rhinol Allergy* 2009; 23: 401-404

99. Wendeler HM, Müller J, Dieter R, Helms J. Nasenspülungen mit isoosmotischer Emser-Salz-Lösung bei chronischer Rhinosinusitis. *Otorhinolaryngol nova* 1997; 7: 254-258

100. Wills P, Greenstone M. Inhaled hyperosmolar agents for bronchiectasis. *Cochrane Database Syst Rev* 2006: CD002996

101. Wolf G, Koidl B, Pelzmann B. Zur Regeneration des Zilienschlages humaner Flimmerzellen. *Laryngorhinootol* 1991; 70: 552-555

102. Wormald PJ, Cain T, Oates L, Hawke L, Wong I. A comparative study of three methods of nasal irrigation. *Laryngoscope* 2004; 114: 2224-2227