

## Literatur zum Artikel

### Das ungelöste Problem der großen Hiatushernie

1. Stadlhuber RJ, Sherif AE, Mittal SK, et al (2009) Mesh complications after prosthetic reinforcement of hiatal closure: a 28-case series. *Surg Endosc* 23: 1219–1226
2. Stefanidis D, Hope WW, Kohn GP, et al (2010) Guidelines for surgical treatment of gastroesophageal reflux disease. *Surg Endosc* 24: 2647–2669
3. Hashemi M, Peters JH, DeMeester TR, et al (2000) Laparoscopic repair of large type III hiatal hernia: objective follow-up reveals high recurrence rate. *J Am Coll Surg* 190: 553–560
4. Luostarinen M, Rantalainen M, Helve O, et al (1998) Late results of paraesophageal hiatus hernia repair with fundoplication. *Br J Surg* 85: 272–275
5. Oelschläger BK, Barreca M, Chang L, Pellegrini CA (2003) The use of small intestine submucosa in the repair of paraesophageal hernias: initial observations of a new technique. *Am J Surg* 186: 4–8
6. Frantzides CT, Madan AK, Carlson MA, Stavropoulos GP (2002) A prospective, randomized trial of laparoscopic polytetrafluoroethylene (PTFE) patch repair vs simple cruroplasty for large hiatal hernia. *Arch Surg* 137: 649–652
7. Oelschläger BK, Pellegrini CA, Hunter J, et al (2006) Biologic prosthesis reduces recurrence after laparoscopic paraesophageal hernia repair: a multicenter, prospective, randomized trial. *Ann Surg* 244: 481–490
8. Frantzides CT, Carlson MA, Loizides S, et al (2010) Hiatal hernia repair with mesh: a survey of SAGES members. *Surg Endosc* 24: 1017–1024
9. Pfluke JM, Parker M, Bowers SP, et al (2012) Use of mesh for hiatal hernia repair: a survey of SAGES members. *Surg Endosc* 26: 1843–1848
10. Herbella FA, Patti MG, Del Grande JC (2011) Hiatal mesh repair – current status. *Surg Laparosc Endosc Percutan Tech* 21: 61–66
11. Carlson MA, Condon RE, Ludwig KA, Schulte WJ (1998) Management of intrathoracic stomach with polypropylene mesh prosthesis reinforced transabdominal hiatus hernia repair. *J Am Coll Surg* 187: 227–230
12. Coluccio G, Ponzio S, Ambu V, et al (2000) Dislocation into the cardiac lumen of a PTFE prosthesis used in the treatment of voluminous hiatal sliding hernia, a case report. *Minerva Chir* 55: 341–345
13. Zilberstein B, Eshkenazy R, Pajeccki D, et al (2005) Laparoscopic mesh repair anti-reflux surgery for treatment of large hiatal hernia. *Dis Esophagus* 18: 166–169
14. Stadlhuber RJ, Sherif AE, Mittal SK, et al (2009) Mesh complications after prosthetic reinforcement of hiatal closure: a 28-case series. *Surg Endosc* 23: 1219–1226
15. Sánchez-Pernaute A, Pérez-Aguirre ME, Jiménez AP, et al (2019) Intraluminal mesh erosion after prosthetic hiatoplasty: incidence, management, and outcomes. *Dis Esophagus* 32: <https://doi.org/10.1093/dote/doy131>
16. Li J, Cheng T (2019) Mesh erosion after hiatal hernia repair: the tip of the iceberg? *Hernia* 23: 1243–1252
17. Parsak CK, Erel S, Seydaoglu G, et al (2011) Laparoscopic antireflux surgery with polyglactin (vicryl) mesh. *Surg Laparosc Endosc Percutan Tech* 21: 443–449
18. Asti E, Lovece A, Bonavina L, et al (2016) Laparoscopic management of large hiatus hernia: five-year cohort study and comparison of mesh-augmented versus standard crura repair. *Surg Endosc* 30: 5404–5409
19. Asti E, Sironi A, Bonitta G, et al (2017) Crura augmentation with Bio-A® mesh for laparoscopic repair of hiatal hernia: single-institution experience with 100 consecutive patients. *Hernia* 21: 623–628
20. Priego Jimenez P, Salvador Sanchis JL, Angel V, Escrig-Sos J (2014) Short-term results for laparoscopic repair of large paraesophageal hiatal hernias with Gore Bio A® mesh. *Int J Surg* 12: 794–797
21. Massullo JM, Singh TP, Dunnican WJ, Binetti BR (2012) Preliminary study of hiatal hernia repair using polyglycolic acid: trimethylene carbonate mesh. *JSLS* 16: 55–59
22. Antonino A, Giorgio R, Giuseppe F, et al (2014) Hiatal hernia repair with gore bio-a tissue reinforcement: our experience. *Case Rep Surg*: 851278
23. Powell BS, Wandrey D, Voeller GR (2013) A technique for placement of a bioabsorbable prosthesis with fibrin glue fixation for reinforcement of the crural closure during hiatal hernia repair. *Hernia* 17: 81–84
24. Alicuben ET, Worrell SG, DeMeester SR (2014) Resorbable biosynthetic mesh for crural reinforcement during hiatal hernia repair. *Am Surg* 80: 1030–1033
25. Gebhart A, Vu S, Armstrong C, et al (2013) Initial outcomes of laparoscopic paraesophageal hiatal hernia repair with mesh. *Am Surg* 79: 1017–1021