

## Literatur zum Artikel

# Plastische Chirurgie im interdisziplinären Management komplexer Wunden Techniken und Konzepte

1. Park H, Copeland C, Henry S, Barbul A (2010) Complex wounds and their management. *Surg Clin North Am* 90: 1181–1194
2. Kirkland KB, Briggs JP, Trivette SL, et al (1999) The impact of surgical-site infections in the 1990s: attributable mortality, excess length of hospitalization, and extra costs. *Infect Control Hosp Epidemiol* 20: 725–730
3. Bergan JJ, et al (2006) Chronic venous disease. *N Engl J Med* 355: 488–498
4. Broughton G 2nd, Janis JE, Attinger CE (2006) The basic science of wound healing. *Plast Reconstr Surg* 117: 125–345
5. Janis JE, Kwon RK, Lalonde DH (2010) A practical guide to wound healing. *Plast Reconstr Surg* 125: 230e–244e
6. Pohlman TH, Stanness KA, Beatty PG, et al (1986) An endothelial cell surface factor(s) induced in vitro by lipopolysaccharide, interleukin 1, and tumor necrosis factor-alpha increases neutrophil adherence by a CDw18-dependent mechanism. *J Immunol* 136: 4548–4553
7. Bevilacqua MP, Pober JS, Wheeler ME, et al (1985) Interleukin 1 acts on cultured human vascular endothelium to increase the adhesion of polymorphonuclear leukocytes, monocytes, and related leukocyte cell lines. *J Clin Invest* 76: 2003–2011
8. Grotendorst GR, Soma Y, Takehara K, Charette M (1989) EGF and TGF-alpha are potent chemoattractants for endothelial cells and EGF-like peptides are present at sites of tissue regeneration. *J Cell Physiol* 139: 617–623
9. Rundhaug JE (2005) Matrix metalloproteinases and angiogenesis. *J Cell Mol Med* 9: 267–285
10. Bailey AJ, Sims TJ, Lous L, Bazin S (1975) Collagen polymorphism in experimental granulation tissue. *Biochem Biophys Res Commun* 66: 1160–1165
11. Regan MC, Kirk SJ, Wasserkrug HL, Barbul A (1991) The wound environment as a regulator of fibroblast phenotype. *J Surg Res* 50: 442–448
12. Desmoulière A, Geinoz A, Gabbiani F, Gabbiani G (1993) Transforming growth factor-beta 1 induces alpha-smooth muscle actin expression in granulation tissue myofibroblasts and in quiescent and growing cultured fibroblasts. *J Cell Biol* 122: 103–111
13. Levenson SM, et al (1965) The healing of rat skin wounds. *Ann Surg* 161: 293–308
14. Hofman D, Moore K, Cooper R, Eagle M, Cooper S (2007) Use of topical corticosteroids on chronic leg ulcers. *J Wound Care* 16: 227–230
15. Fonder MA, et al (2008) Treating the chronic wound: a practical approach to the care of nonhealing wounds and wound care dressings. *J Am Acad Dermatol* 58: 185–206
16. Habel DW (1965) Surgical complications in irradiated patients. *Arch Otolaryngol* 82: 382–386
17. Rudolph R, Arganese T, Woodward M (1982) The ultrastructure and etiology of chronic radiotherapy damage in human skin. *Ann Plast Surg* 9: 282–292
18. Ducasse E, et al (2003) High-dose external ionizing radiation prevents intimal hyperplasia and limits secretion of growth factors PDGFbb, bFGF, and TGFb1. Experiments and results [französisch]. *J Mal Vasc* 28: 68–72
19. Han S-K, Song J-Y, Yun Y-S, Yi S-Y (2006) Effect of gamma radiation on cytokine expression and cytokine-receptor mediated STAT activation. *Int J Radiat Biol* 82: 686–697
20. Gu Q, et al (1998) Effects of radiation on wound healing. *J Environ Pathol Toxicol Oncol* 17: 117–123
21. Tokarek R, Bernstein EF, Sullivan F, et al (1994) Effect of therapeutic radiation on wound healing. *Clin Dermatol* 12: 57–70
22. Tibbs MK (1997) Wound healing following radiation therapy: a review. *Radiother Oncol* 42: 99–106
23. Lawrence WT, Talbot TL, Norton JA (1986) Preoperative or postoperative doxorubicin hydrochloride (adriamycin): which is better for wound healing? *Surgery* 100: 9–13
24. Cohen SC, Gabelnick HL, Johnson RK, Goldin A (1975) Effects of antineoplastic agents on wound healing in mice. *Surgery* 78: 238–244
25. Sassler AM, Esclamado RM, Wolf GT (1995) Surgery after organ preservation therapy. Analysis of wound complications. *Arch Otolaryngol Head Neck Surg* 121: 162–165
26. Khoo DB (1992) The effect of chemotherapy on soft tissue and bone healing in the rabbit model. *Ann Acad Med Singapore* 21: 217–221
27. Goldin A, Beckman JA, Schmidt AM, Creager MA (2006) Advanced glycation end products: sparking the development of diabetic vascular injury. *Circulation* 114: 597–605
28. Huijberts MSP, Schaper NC, Schalkwijk CG (2008) Advanced glycation end products and diabetic foot disease. *Diabetes Metab Res Rev* 24 (Suppl 1): S19–24
29. Chow LWC, Loo WTY, Yuen K-Y, Cheng C (2003) The study of cytokine dynamics at the operation site after mastectomy. *Wound Repair Regen* 11: 326–330
30. Ehrlich HP, Hunt TK (1969) The effects of cortisone and anabolic steroids on the tensile strength of healing wounds. *Ann Surg* 170: 203–206
31. David DJ (1972) Skin trauma in patients receiving systemic corticosteroid therapy. *Br Med J* 2: 614–616
32. Cohen IK, Diegelmann RF, Johnson ML (1977) Effect of corticosteroids on collagen synthesis. *Surgery* 82: 15–20
33. Oberländer H, Fuchs PC (2016) Chronische Wunden – Diagnostik und adjuvante Therapie. *CHAZ* 17: 239–246
34. Faintuch J, et al (2004) Severe protein-calorie malnutrition after bariatric procedures. *Obes Surg* 14: 175–181
35. Gasteyger C, Suter M, Gaillard RC, Giusti V (2008) Nutritional deficiencies after Roux-en-Y gastric bypass for morbid obesity often cannot be prevented by standard multivitamin supplementation. *Am J Clin Nutr* 87: 1128–1133
36. Lee LK, Kent KC (2008) Infrainguinal occlusive disease: endovascular intervention is the first line therapy. *Adv Surg* 42: 193–204
37. Guest JF, et al (2017) Health economic burden that different wound types impose on the UK's National Health Service. *Int Wound J* 14: 322–330
38. Sterling J, Gibran NS, Klein MB (2009) Acute management of hand burns. *Hand Clin* 25: 453–459
39. Izadi K, Ganchi P (2005) Chronic wounds. *Clin Plast Surg* 32: 209–222
40. Diehm YF, Loew J, Will PA, et al (2020) Negative pressure wound therapy with instillation and dwell time (NPWTi-d) with V.A.C. VeraFlo in traumatic, surgical, and chronic wounds – a helpful tool for decontamination and to prepare successful reconstruction. *Int Wound J* 17: 1740–1749
41. Diehm YF, Fischer S, Gazyakan E, et al (2021) Negative pressure wound therapy as an accelerator and stabilizer for incorporation of artificial dermal skin substitutes – a retrospective, non-blinded, and non-randomized comparative study. *J Plast Reconstr Aesthet Surg* 74: 357–363
42. Tran BNN, Johnson AR, Shen C, et al (2019) Closed-incision negative-pressure therapy efficacy in abdominal wall reconstruction in high-risk patients: a meta-analysis. *J Surg Res* 241: 63–71
43. Diaconu SC, McNichols CHL, Ngaage LM, et al (2020) Closed-incision negative-pressure therapy decreases complications in ventral hernia repair with concurrent panniculectomy. *Hernia* 24: 49–55
44. Kotsougiani-Fischer D, Fischer S, Warszawski J, et al (2021) Multidisciplinary team meetings for patients with complex extremity defects: a retrospective analysis of treatment recommendations and prognostic factors for non-implementation. *BMC Surg* 21: 168
45. Spichler A, Hurwitz BL, Armstrong DG, Lipsky BA (2015) Microbiology of diabetic foot infections: from Louis Pasteur to 'crime scene investigation'. *BMC Med* 13: 2
46. Bowler PG, Duerden BI, Armstrong DG (2001) Wound microbiology and associated approaches to wound management. *Clin Microbiol Rev* 14: 244–269

47. Grey JE, Harding KG, Enoch S (2006) Venous and arterial leg ulcers. *Br Med J* 332: 347–350
48. Brown LL, Shelton HT, Bornside GH, Cohn IJ (1978) Evaluation of wound irrigation by pulsatile jet and conventional methods. *Ann Surg* 187: 170–173
49. Gabriel A (2012) Integrated negative pressure wound therapy system with volumetric automated fluid instillation in wounds at risk for compromised healing. *Int Wound J* 9 (Suppl 1): 25–31
50. Bergstrom N, Benett MA, Carlson CE, et al (1994) Treatment of pressure ulcers: clinical practice guideline. US Dep Heal Hum Serv Public Heal Serv Agency Heal Care Policy Res No 15: 6–7, 47–53
51. Luedtke-Hoffmann KA, Schafer DS (2000) Pulsed lavage in wound cleansing. *Phys Ther* 80: 292–300
52. Lee CK, Hansen SL (2009) Management of acute wounds. *Surg Clin North Am* 89: 659–676
53. Barros D'Sa AAB, Harkin DW, Blair PHB, et al (2006) The Belfast approach to managing complex lower limb vascular injuries. *Eur J Vasc Endovasc Surg* 32: 246–256
54. Ziran BH, Darowish M, Klatt BA, et al (2004) Intramedullary nailing in open tibia fractures: a comparison of two techniques. *Int Orthop* 28: 235–238
55. Bafford AC, Irani JL (2013) Management and complications of stomas. *Surg Clin North Am* 93: 145–166
56. Hirche C, et al (2020) Eschar removal by bromelain based enzymatic debridement (Nexobrid®) in burns: European consensus guidelines update. *Burns* 46: 782–796
57. Schulz A, Ribitsch B, Fuchs PC, et al (2018) Treatment of genital burn injuries: traditional procedures and new techniques. *Adv Skin Wound Care* 31: 314–321
58. Klasen HJ (2000) A review on the nonoperative removal of necrotic tissue from burn wounds. *Burns* 26: 207–222
59. Ozcan C, Ergün O, Celik A, et al (2002) Enzymatic debridement of burn wound with collagenase in children with partial-thickness burns. *Burns* 28: 791–794
60. Rosenberg L, et al (2014) A novel rapid and selective enzymatic debridement agent for burn wound management: a multi-center RCT. *Burns* 40: 466–474
61. Cordts T, et al (2016) Enzymatic debridement for the treatment of severely burned upper extremities – early single center experiences. *BMC Dermatol* 16: 8
62. van Zuijlen PP, Kreis RW, Vloemans AF, et al (1999) The prognostic factors regarding long-term functional outcome of full-thickness hand burns. *Burns* 25: 709–714
63. Berner JE, Keckes D, Pywell M, Dheansa B (2018) Limitations to the use of bromelain-based enzymatic debridement (NexoBrid®) for treating diabetic foot burns: a case series of disappointing results. *Scars Burns Healing* 4: 2059513118816534
64. Huang C, Leavitt T, Bayer LR, Orgill DP (2014) Effect of negative pressure wound therapy on wound healing. *Curr Probl Surg* 51: 301–331
65. Mouës CM, Vos MC, van den Bemd GJCM, et al (2004) Bacterial load in relation to vacuum-assisted closure wound therapy: a prospective randomized trial. *Wound Repair Regen* 12: 11–17
66. Schwien T, Gilbert J, Lang C (2005) Pressure ulcer prevalence and the role of negative pressure wound therapy in home health quality outcomes. *Ostomy Wound Manage* 51: 47–60
67. Diehm YF, et al (2001) Negative pressure wound therapy as an accelerator and stabilizer for incorporation of artificial dermal skin substitutes – a retrospective, non-blinded, and non-randomized comparative study. *J Plast Reconstr Aesthet Surg* 74: 357–363
68. Rodeheaver GT (1999) Pressure ulcer debridement and cleansing: a review of current literature. *Ostomy Wound Manage* 45: 805–855
69. Fernandez R, Griffiths R (2008) Water for wound cleansing. *Cochrane Database Syst Rev* 1: CD003861
70. McNulty AK, Nguyen K (2010) What is the benefit of instillation therapy? *Int J Low Extrem Wounds* 9: 68–69
71. Rycerz AM, Slack P, McNulty AK (2013) Distribution assessment comparing continuous and periodic wound instillation in conjunction with negative pressure wound therapy using an agar-based model. *Int Wound J* 10: 214–220
72. Gupta S, Gabriel A, Lantis J, Téot L (2016) Clinical recommendations and practical guide for negative pressure wound therapy with instillation. *Int Wound J* 13: 159–174
73. Wackenfors A, et al (2004) Effects of vacuum-assisted closure therapy on inguinal wound edge microvascular blood flow. *Wound Repair Regen* 12: 600–606
74. Wackenfors A, et al (2005) Blood flow responses in the peristernal thoracic wall during vacuum-assisted closure therapy. *Ann Thorac Surg* 79: 1721–1724
75. Morykwas MJ, Argenta LC, Shelton-Brown EI, McGuirt W (1997) Vacuum-assisted closure: a new method for wound control and treatment: animal studies and basic foundation. *Ann Plast Surg* 38: 553–562
76. Goss SG, et al (2012) Negative pressure wound therapy with instillation (NPWTi) better reduces post-debridement bioburden in chronically infected lower extremity wounds than NPWT alone. *J Am Coll Clin Wound Spec* 4: 74–80
77. Weed T, Ratliff C, Drake DB (2004) Quantifying bacterial bioburden during negative pressure wound therapy: does the wound VAC enhance bacterial clearance? *Ann Plast Surg* 52: 276–280
78. Birke-Sorensen H, et al (2011) Evidence-based recommendations for negative pressure wound therapy: treatment variables (pressure levels, wound filler and contact layer) – steps towards an international consensus. *J Plast Reconstr Aesthet Surg* 64 (Suppl): S1–16
79. Mouës CM, van den Bemd GJCM, Heule F, Hovius SER (2007) Comparing conventional gauze therapy to vacuum-assisted closure wound therapy: a prospective randomised trial. *J Plast Reconstr Aesthet Surg* 60: 672–681
80. Braakenburg, A, et al (2006) The clinical efficacy and cost effectiveness of the vacuum-assisted closure technique in the management of acute and chronic wounds: a randomized controlled trial. *Plast Reconstr Surg* 118: 390–400
81. Ford CN, et al (2002) Interim analysis of a prospective, randomized trial of vacuum-assisted closure versus the healthpoint system in the management of pressure ulcers. *Ann Plast Surg* 49: 55–61
82. Fluieraru S, et al (2013) Sterile-water negative pressure instillation therapy for complex wounds and NPWT failures. *J Wound Care* 22: 293–299
83. Brinkert D, et al (2013) Negative pressure wound therapy with saline instillation: 131 patient case series. *Int Wound J* 10 (Suppl 1): 56–60
84. Diehm YF, et al (2021) Management of acute and traumatic wounds with negative-pressure wound therapy with instillation and Dwell Time. *Plast Reconstr Surg* 147: 435–535
85. Simman R (2009) Wound closure and the reconstructive ladder in plastic surgery. *J Am Col Certif Wound Spec* 1: 6–11
86. Glat PM, Davenport T (2017) Current techniques for burn reconstruction: using dehydrated human amnion/chorion membrane allografts as an adjunctive treatment along the reconstructive ladder. *Ann Plast Surg* 78: S14–S18
87. Miller EA, Friedrich J (2016) Soft tissue coverage of the hand and upper extremity: the reconstructive elevator. *J Hand Surg Am* 41: 782–792
88. Cheshire PA, Herson MR, Cleland H, Akbarzadeh S (2016) Artificial dermal templates: a comparative study of NovoSorb™ Biodegradable Temporising Matrix (BTM) and Integra® Dermal Regeneration Template (DRT). *Burns* 42: 1088–1096
89. Henn D, et al (2019) One-stage versus two-stage arteriovenous loop reconstructions: an experience on 103 cases from a single center. *Plast Reconstr Surg* 143: 912–924
90. Matschke J, Armbruster R, Reeps C, et al (2019) AV loop free flap: an interdisciplinary approach for perineal and sacral defect reconstruction after radical oncological exenteration and radiation in a colorectal cancer patient. *World J Surg Oncol* 17: 154

91. Oswald TM, et al (2007) Immediate and delayed use of arteriovenous fistulae in microsurgical flap procedures: a clinical series and review of published cases. *Ann Plast Surg* 58: 61–63
92. Maida V, et al (2008) Wounds in advanced illness: a prevalence and incidence study based on a prospective case series. *Int Wound J* 5: 305–314
93. Alexander S (2009) Malignant fungating wounds: epidemiology, aetiology, presentation and assessment. *J Wound Care* 18: 273–280
94. Maida V, Ennis M, Corban J (2012) Wound outcomes in patients with advanced illness. *Int Wound J* 9: 683–692
95. Lo S-F, et al (2008) Experiences of living with a malignant fungating wound: a qualitative study. *J Clin Nurs* 17: 2699–2708
96. Maida V, Ennis M, Kuziemyk C, Trozzolo L (2009) Symptoms associated with malignant wounds: a prospective case series. *J Pain Symptom Manage* 37: 206–211
97. Schütte K, Weigt J, Meyer F, Malfertheiner P (2010) Palliativtherapie im Grenzgebiet zwischen Gastroenterologie und (Viszeral-)Chirurgie. *Zentralbl Chir* 135: 528–534
98. Chrisman CA (2010) Care of chronic wounds in palliative care and end-of-life patients. *Int Wound J* 7: 214–235
99. Kippenhan T, Hirche C, Lehnhardt M, Daigeler A (2015) Palliative plastische Chirurgie im multimodalen Therapiekonzept. *Zentralbl Chir* 140: 228–234
100. Venkatesan M, et al (2012) Inadvertent surgical resection of soft tissue sarcomas. *Eur J Surg Oncol* 38: 346–351
101. Lehnhardt M, Hirche C, Daigeler A, et al (2012) Weichgewebssarkome der oberen Extremität. Analyse prognoserelevanter Faktoren bei 160 Patienten. *Chirurg* 83: 143–152