

Literatur zum Artikel

Dekubitus – was kann der plastische Chirurg tun?

1. <https://www.welt.de/wirtschaft/article109108449/Wo-das-Wundliegen-zur-Volkskrankheit-wird.html> (Aufruf 2.5.2018)
2. <https://www.ndr.de/nachrichten/hamburg/MDK-Nord-sieht-Qualitaetsmaengel-in-Pflegeheimen,pflege890.html> (Aufruf 2.5.2018)
3. <https://www.swr.de/odyosso/pflegenotstand-bei-dekubitus/-/lid=1046894/did=5416038/nid=1046894/1b6frb8/index.html> (Aufruf 2.5.2018)
4. Tomova-Simitchieva T, Akdeniz M, Blume-Peytavi U, et al (2018) Die Epidemiologie des Dekubitus in Deutschland: eine systematische Übersicht. *Gesundheitswesen*. doi: 10.1055/s-0043-122069 [im Druck]
5. Anders J, Heinemann A, Leffmann C, et al (2010) Decubitus ulcers: pathophysiology and primary prevention. *Dtsch Arztebl Int* 107: 371–382
6. European Pressure Ulcer Advisory Panel and National Pressure Ulcer Advisory Panel (2009) Prevention and treatment of pressure ulcers: quick reference guide. National Pressure Ulcer Advisory Panel, Washington DC
7. Rieger U, Scheufler O, Schmid D, et al (2007) Die sechs Behandlungsprinzipien des Basler Dekubituskonzepts. *Handchir Mikrochir Plast Chir* 39: 206–214
8. Seiler WO (2000) Empfehlungen zur effizienten Dekubitusprophylaxe. *Krankenpfl J* 38: 213–218
9. Seiler WO, Allen S, Stähelin HB (1986) Influence of the 30 degrees laterally inclined position and the ‚super-soft‘ 3-piece mattress on skin oxygen tension on areas of maximum pressure – implications for pressure sore prevention. *Gerontology* 32: 158–166
10. Braden B, Bergström N (1987) A conceptual schema for the study of the etiology of pressure sores. *Rehabil Nurs* 12: 8–12
11. Moore ZE, Cowman S (2014) Risk assessment tools for the prevention of pressure ulcers. *Cochrane Database Syst Rev* 2: CD006471
12. Seiler WO, Stähelin HB (1998) Malnutrition verhindert Wundheilung von Dekubitalulzera. *Krankenpfl J* 36: 333–341
13. Ness SJ, Hickling DF, Bell JJ, Collins PF (2017) The pressures of obesity: the relationship between obesity, malnutrition and pressure injuries in hospital inpatients. *Clin Nutr*. doi: 10.1016/j.clnu.2017.08.014. [Epub ahead of print]
14. Litchford MD, Dörner B, Posthauer ME (2014) Malnutrition as a precursor of pressure ulcers. *Adv Wound Care* 3: 54–63
15. Seiler WO, Stähelin HB (1999) Search for factors preventing wound healing. A motivating therapy concept in chronic decubitus ulcers. *Krankenpfl J* 37: 317–323
16. Suissa D, Danino A., Nikolis A (2011) Negative-pressure therapy versus standard wound care: a meta-analysis of randomized trials. *Plast Reconstr Surg* 128: 498e–503e
17. Lüscher NJ, Kuhn W, Zäch GA (1986) Rhomboid flaps in surgery for decubital ulcers: indications and results. *Ann Plast Surg* 16: 415–421
18. Schrudde J, Steffens K, Filjakowski M (1986) Die Anwendung der Verschiebeschwenklappenplastik nach Schrudde zur operativen Therapie von Dekubitalulzera. *Chir Praxis* 36: 409–416
19. Thiessen FE, Andrades P, Blondeel PN, et al (2011) Flap surgery for pressure sores: should the underlying muscle be transferred or not? *J Plast Reconstr Aesthet Surg* 64: 84–90
20. Sameem M, Au M, Wood T, et al (2012) A systematic review of complication and recurrence rates of musculocutaneous, fasciocutaneous, and perforator-based flaps for treatment of pressure sores. *Plast Reconstr Surg* 130: 67e–77e
21. Daniel RK, Faibisoff B (1982) Muscle coverage of pressure points – the role of myocutaneous flaps. *Ann Plast Surg* 8: 446–452
22. Yamamoto Y, Ohura T, Shintomi Y, et al (1993) Superiority of the fasciocutaneous flap in reconstruction of sacral pressure sores. *Ann Plast Surg* 30: 116–121
23. Wettstein R, Tremp M, Baumberger M, et al (2015) Local flap therapy for the treatment of pressure sore wounds. *Int Wound J* 12: 572–576
24. Djedovic G, Metzler J, Morandi EM, et al (2017) Comparison of fasciocutaneous V-Y and rotational flaps for defect coverage of sacral pressure sores: a critical single-centre appraisal. *Int Wound J* 14: 945–949
25. Rubin JA, Whetzel TP, Stevenson TR (1995) The posterior thigh fasciocutaneous flap: vascular anatomy and clinical application. *Plast Reconstr Surg* 95: 1228–1239
26. Ahluwalia R, Martin D, Mahoney JL (2010) The operative treatment of pressure wounds: a 10-year experience in flap selection. *Int Wound J* 7: 103–106
27. Demirseren ME, Ceran C, Aksam B, Demiralp CO (2016) Clinical experience with the combination of a biceps femoris muscle turnover flap and a posterior-thigh fasciocutaneous Hatched flap for the reconstruction of ischial pressure ulcers. *Ann Plast Surg* 77: 93–96
28. Chang LR, Lee JW (2008) Free flap coverage of gluteal defect using posteriorly translocated deep femoral vessels as recipient. *Microsurgery* 28: 157–159
29. He J, Xu H, Wang T, et al (2012) Treatment of complex ischial pressure sores with free partial lateral latissimus dorsi musculocutaneous flaps in paraplegic patients. *J Plast Reconstr Aesthet Surg* 65: 634–639