

Literatur zum Artikel

Rekonstruktive Möglichkeiten bei Knocheninfekten an Hand und Unterarm

- Schmelz A, Kinzl L, Einsiedel T (2006) Osteitis. Infektionen des Bewegungsapparates. *Chirurg* 77: 943–961
- Luther C, Unger K, Heppert V, et al (2010) Chronische Osteitis der unteren Extremität. Interdisziplinäre Behandlungskonzepte. *Unfallchirurg* 113: 386–393
- Hatzembuehler J, Pulling TJ (2011) Diagnosis and management of osteomyelitis. *Am Fam Physician* 84: 1027–1033
- Abitzsch D, Rusu C, Lill H (2010) Frühinfekt nach Osteosynthese. *Trauma Berufskrankh* 12 [Suppl 4]: 463–469
- Jansson A, Jansson V, von Liebe A (2009) Die kindliche Osteomyelitis. *Orthopäde* 38: 283–294
- De Boeck H (2005) Osteomyelitis and septic arthritis in children. *Acta Orthop Belg* 71: 505–515
- Calhoun JH, Manring MM, Shirliff M (2009) Osteomyelitis of the long bones. *Semin Plast Surg* 23: 59–72
- Stahl S, Schaller HE (2015) Akute und chronische Osteitis. In: Sauerbier M, Eisenschenk A, Krimmer H, et al (Hrsg) *Die Handchirurgie*, 1. Aufl. Elsevier, München, S 182–192
- Weber A, Gisevius A, Adams S, et al (2002) Bildgebende Verfahren in der Diagnostik der Osteitis. Was gibt es Neues? *Trauma Berufskrankh* 4: 306–313
- Cierny G 3rd, Mader JT, Penninck JJ (2003) A clinical staging system for adult osteomyelitis. *Clin Orthop Relat Res* 62: 7–24
- Heppert V, Wagner C, Glatzel U, et al (2002) Prinzipien der operativchirurgischen Therapie der Osteitis. *Trauma Berufskrankh* 4: 321–328
- AWMF Leitlinien der Deutschen Gesellschaft für Kinder- und Jugendmedizin e.V. (DGKJ). Akute hämatogene Osteomyelitis und bakterielle Arthritis (Stand: 1.1.2013). <http://www.awmf.org/leitlinien/detail/III/027-054.html>
- Walter G, Kemmerer M, Kappler C, et al (2012) Behandlungsalgorithmen der chronischen Osteomyelitis. *Dtsch Arztebl Int* 109: 257–264
- Giesecke MT, Schwabe P, Wichlas F, et al (2014) Impact of high prevalence of pseudomonas and polymicrobial gram-negative infections in major sub-/total traumatic amputations on empiric antimicrobial therapy: a retrospective study. *World J Emerg Surg* 9: 55
- Kleber C, Schaser KD, Trampuz A (2015) Komplikationsmanagement bei infizierter Osteosynthese: Therapiealgorithmus bei periimplantären Infektionen. *Chirurg* 86: 925–934
- Stahl S, Held M, Medved F, et al (2014) Infektionen nach sogenannten Bagatellverletzungen der Hand. *Trauma Berufskrankh* 16: 281–286
- Wagner C, Hansch GM (2015) Pathophysiologie der implantatassoziierten Infektion: Vom Biofilm zur Osteolyse und septischen Lockerung. *Orthopäde* 44: 967–973
- Paley D, Herzenberg JE (2002) Intramedullary infections treated with antibiotic cement rods: preliminary results in nine cases. *J Orthop Trauma* 16: 723–729
- Kim JW, Cuellar DO, Hao J, et al (2014) Custom-made antibiotic cement nails: a comparative study of different fabrication techniques. *Injury* 45: 1179–1184
- Thonse R, Conway J (2007) Antibiotic cement-coated interlocking nail for the treatment of infected nonunions and segmental bone defects. *J Orthop Trauma* 21: 258–268
- Thomas MV, Puleo DA (2009) Calcium sulfate: properties and clinical applications. *J Biomed Mater Res B Appl Biomater* 88: 597–610
- Fleiter N, Walter G, Bosebeck H, et al (2014) Clinical use and safety of a novel gentamicin-releasing resorbable bone graft substitute in the treatment of osteomyelitis/osteitis. *Bone Joint Res* 3: 223–229
- Freeland AE, Jabaley ME, Burkhalter WE, et al (1984) Delayed primary bone grafting in the hand and wrist after traumatic bone loss. *J Hand Surg [Am]* 9: 22–28
- Peimer CA, Smith RJ, Leffert RD (1981) Distraction-fixation in the primary treatment of metacarpal bone loss. *J Hand Surg* 6: 111–124
- Eisenschenk A, Bauwens K, Böttcher R, et al (2005) Osteomyelitis der Mittelhand- und Handwurzelregion. *Z Orthop* 143: 479–485
- Reilly KE, Linz JC, Stern PJ, et al (1997) Osteomyelitis of the tubular bones of the hand. *J Hand Surg* 22: 644–649
- Diefenbeck M, Mennenga U, Guckel P, et al (2011) Vakuumtherapie bei akuter postoperativer Osteitis. *Z Orthop Unfall* 149: 336–341
- Levin LS (1993) The reconstructive ladder. An orthoplastic approach. *Orthop Clin North Am* 24: 393–409
- Engelhardt T, Giunta R (2015) Defektdeckung an der Hand. In: Sauerbier M, Eisenschenk A, Krimmer H, et al (Hrsg) *Die Handchirurgie*, 1. Aufl. Elsevier, München, S 452–497
- Gottlieb LJ, Krieger LM (1994) From the reconstructive ladder to the reconstructive elevator. *Plast Reconstr Surg* 93: 1503–1504
- Adani R, Tarallo L, Marcoccio I, et al (2005) Hand reconstruction using the thin anterolateral thigh flap. *Plast Reconstr Surg* 116: 467–473
- Krimmer H, Hahn P, Lanz U (1995) Free gracilis muscle transplantation for hand reconstruction. *Clin Orthop Relat Res* 314: 13–18
- Flügel A, Kehrer A, Heitmann C, et al (2005) Coverage of soft-tissue defects of the hand with free fascial flaps. *Microsurgery* 25: 47–53
- Calderon W, Chang N, Mathes SJ (1986) Comparison of the effect of bacterial inoculation in musculocutaneous and fasciocutaneous flaps. *Plast Reconstr Surg* 77: 785–794
- Harry LE, Sandison A, Pearse MF, et al (2009) Comparison of the vascularity of fasciocutaneous tissue and muscle for coverage of open tibial fractures. *Plast Reconstr Surg* 124: 1211–1219
- Vorndran E, Geffers M, Ewald A, et al (2013) Ready-to-use injectable calcium phosphate bone cement paste as drug carrier. *Acta Biomater* 9: 9558–9567
- Karr JC, Lauretta J, Keriazes G (2011) In vitro antimicrobial activity of calcium sulfate and hydroxyapatite (Cerament Bone Void Filler) discs using heat-sensitive and non-heat-sensitive antibiotics against methicillin-resistant *Staphylococcus aureus* and *Pseudomonas aeruginosa*. *J Am Podiatr Med Assoc* 101: 146–152
- Drago L, Romano D, De Vecchi E, et al (2013) Bioactive glass BAG-S53P4 for the adjunctive treatment of chronic osteomyelitis of the long bones: an in vitro and prospective clinical study. *BMC Infect Dis* 13: 584
- Chadayammuri V, Hake M, Mauffrey C (2015) Innovative strategies for the management of long bone infection: a review of the Masquelet technique. *Patient Saf Surg* 9: 32
- Krappinger D, Lindtner RA, Zegg M, et al (2015) Die Masquelet-Technik zur Behandlung großer dia- und metaphysärer Knochendefekte. *Operat Orthop Traumatol* 27: 357–368
- Masquelet AC (2003) Muscle reconstruction in reconstructive surgery: soft tissue repair and long bone reconstruction. *Langenbecks Arch Surg* 388: 344–346
- Flamans B, Pauchot J, Petite H, et al (2010) Pertes de substance osseuse a la main et au poignet traitees en urgence par technique de la membrane induite (technique de Masquelet). *Chir Main* 29: 307–314

43. Betz C, Mehling IM, Sauerbier M (2015) Knochennekrosen der Hand. *Z Orthop Unfall* 153: 441–454
44. Ozalp T, Yercan HS, Okcu G (2009) The treatment of Kienböck disease with vascularized bone graft from dorsal radius. *Arch Orthop Trauma Surg* 129: 171–175
45. Sauerbier M, Bishop AT, Ofer N (2009) Gestielte vaskularisierte Knochentransplantate von der Streckseite des peripheren Speichenendes zur Skaphoidrekonstruktion. *Operat Orthop Traumatol* 21: 373–385
46. Guimberteau JC, Panconi B (1990) Recalcitrant non-union of the scaphoid treated with a vascularized bone graft based on the ulnar artery. *J Bone Joint Surg [Am]* 72: 88–97
47. Kremer T, Hirche C, Harhaus-Wähler L, et al (2014) Der vaskularisierte Knochentransfer zur Therapie von Skaphoidpseudarthrosen. *Obere Extremit* 9: 252–259
48. Hierner R, Wolf K (2011) Vaskularisierte Knochentransplantate. *Obere Extremit* 6: 159–169
49. Just-Kova L, Innocenti M, Sauerbier M (2011) Möglichkeiten und Ergebnisse der (freien) vaskularisierten Knochentransplantation im Handbereich. *Obere Extremit* 6: 189–198
50. Sheetz KK, Bishop AT, Berger RA (1995) The arterial blood supply of the distal radius and ulna and its potential use in vascularized pedicled bone grafts. *J Hand Surg* 20: 902–914
51. Biemer E, Stock W (1983) Total thumb reconstruction: a one-stage reconstruction using an osteo-cutaneous forearm flap. *Br J Plast Surg* 36: 52–55
52. Matev I (1985) The osteocutaneous pedicle forearm flap. *J Hand Surg [Br]* 10: 179–182
53. Le Nen D, Hu W, Liot M, et al (2007) The radial forearm flap. *Interact Surg* 2: 108–115
54. Mühlbauer W, Herndl E, Stock W (1982) The forearm flap. *Plast Reconstr Surg* 70: 336–344
55. Reid CD, Moss LH (1983) One-stage flap repair with vascularised tendon grafts in a dorsal hand injury using the "Chinese" forearm flap. *Br J Plast Surg* 36: 473–479
56. Yajima H, Tamai S, Yamauchi T, et al (1999) Osteocutaneous radial forearm flap for hand reconstruction. *J Hand Surg* 24: 594–603
57. Costa H, Pinto A, Zenha H (2007) The posterior interosseous flap – a prime technique in hand reconstruction. The experience of 100 anatomical dissections and 102 clinical cases. *J Plast Reconstr Aesthet Surg* 60: 740–747
58. Sauerbier M, Mehling IM, Liebig K, et al (2013) Aktuelle Konzepte zur Weichgewebsdeckung an der Hand. *Chir Allgem* 14: 513–524
59. Lu LJ, Gong X, Liu ZG, et al (2004) Antebrachial reverse island flap with pedicle of posterior interosseous artery: a report of 90 cases. *Br J Plast Surg* 57: 645–652
60. Germann G, Sauerbier M, Steinau HU, et al (2001) Reverse segmental pedicled ulna transfer as a salvage procedure in wrist fusion. *J Hand Surg [Br]* 26: 589–592
61. Cooney WP, Damron TA, Sim FH, et al (1997) En bloc resection of tumors of the distal end of the ulna. *J Bone Joint Surg Am* 79: 406–412
62. Wolfe SW, Mih AD, Hotchkiss RN, et al (1998) Wide excision of the distal ulna: a multicenter case study. *J Hand Surg* 23: 222–228
63. Greenberg JA, Yanagida H, Werner FW, et al (2003) Wide excision of the distal ulna: biomechanical testing of a salvage procedure. *J Hand Surg* 28: 105–110
64. Earley MJ (1989) The second dorsal metacarpal artery neurovascular island flap. *J Hand Surg [Br]* 14: 434–440
65. Small JO, Brennen MD (1990) The second dorsal metacarpal artery neurovascular island flap. *Br J Plast Surg* 43: 17–23
66. Crow SA, Chen L, Lee JH, et al (2005) Vascularized bone grafting from the base of the second metacarpal for persistent distal radius nonunion: a case report. *J Orthop Trauma* 19: 483–486
67. Pierer G, Steffen J, Hoflehner H (1992) The vascular blood supply of the second metacarpal bone: anatomic basis for a new vascularized bone graft in hand surgery. An anatomical study in cadavers. *Surg Radiol Anat* 14: 103–112
68. Khan K, Riaz M, Small JO (1998) The use of the second dorsal metacarpal artery for vascularized bone graft. An anatomical study. *J Hand Surg [Br]* 23: 308–310
69. Mathoulin C, Brunelli F (1998) Further experience with the index metacarpal vascularized bone graft. *J Hand Surg [Br]* 23: 311–317
70. Saalabian AA, Unglaub F, Horch RE, et al (2012) Free vascularized metacarpal bone graft combined with extended dorsal metacarpal artery flap for phalangeal bone and soft tissue loss: case report. *Arch Orthop Trauma Surg* 132: 137–140
71. McCullough DW, Fredrickson JM (1972) Composite neovascularized rib grafts for mandibular reconstruction. *Surg Forum* 23: 492–494
72. Hui KC, Zhang F, Lineaweaver WC, et al (1999) Serratus anterior-rib composite flap: anatomic studies and clinical application to hand reconstruction. *Ann Plast Surg* 42: 132–136
73. Spiker AM, Humbyrd CJ, Osgood GM, et al (2015) Reconstruction of ulnar defect with vascularized rib graft: a case report. *Microsurgery* DOI: 10.1002/micr.30012 [e-pub before printing]
74. Kunze M-D, Mehling I, Sauerbier M. Weichteildefekte an der Hand – die freie mikrovaskuläre Gewebetransplantation. *Op-Journal* 2015; 31: 124–130
75. Germann G, Bickert B, Steinau HU, et al (1999) Versatility and reliability of combined flaps of the subscapular system. *Plast Reconstr Surg* 103: 1386–1399
76. Sauerbier M, Erdmann D, Bickert B, et al (2001) Die Defektdeckung an Hand und Unterarm mit dem freien Skapula-Paraskapularappen. *Handchir Mikrochir Plast Chir* 33: 20–25
77. Kremer T, Bickert B, Germann G, et al (2007) Rekonstruktion kombinierter Knochen-/Weichteildefekte an Hand und Unterarm durch freie osteokutane Lappenplastiken. *Handchir Mikrochir Plast Chir* 39: 388–395
78. Jupiter JB, Gerhard HJ, Guerrero J, et al (1997) Treatment of segmental defects of the radius with use of the vascularized osteoseptocutaneous fibular autogenous graft. *J Bone Joint Surg [Am]* 79: 542–550
79. Heitmann C, Erdmann D, Levin LS (2002) Treatment of segmental defects of the humerus with an osteoseptocutaneous fibular transplant. *J Bone Joint Surg [Am]* 84: 2216–2223
80. Tang CL, Mahoney JL, McKee MD, et al (1998) Donor site morbidity following vascularized fibular grafting. *Microsurgery* 18: 383–386
81. Kremer T, Bickert B, Germann G, et al (2006) Outcome assessment after reconstruction of complex defects of the forearm and hand with osteocutaneous free flaps. *Plast Reconstr Surg* 118: 443–454
82. Giessler GA, Bickert B, Sauerbier M, et al (2004) Das freie mikrovaskuläre Fibulatransplantat zur Skelettrekonstruktion nach Tumorresektionen am Unterarm – Erfahrungen aus fünf Fällen. *Handchir Mikrochir Plast Chir* 36: 301–307
83. Bickert B, Heitmann C, Germann G (2002) Fibulo-scapulo-lunate arthrodesis as a motion-preserving procedure after tumour resection of the distal radius. *J Hand Surg [Br]* 27: 573–576
84. Cziffer E, Farkas J, Turchanyi B (1991) Management of potentially infected complex hand injuries. *J Hand Surg* 16: 832–834
85. Barbieri CH, Mazzer N, Aranda CA, et al (1997) Use of a bone block graft from the iliac crest with rigid fixation to correct diaphyseal defects of the radius and ulna. *J Hand Surg [Br]* 22: 395–401
86. Taylor GI, Townsend P, Corlett R (1979) Superiority of the deep circumflex iliac vessels as the supply for free groin flaps. *Clinical work. Plast Reconstr Surg* 64: 745–759
87. Stock W, Hierner R, Dielert E, et al (1991) The iliac crest region: donor site for vascularized bone periosteal and soft tissue flaps. *Ann Plast Surg* 26: 105–109
88. Salibian AH, Anzel SH, Salyer WA (1987) Transfer of vascularized grafts of iliac bone to the extremities. *J Bone Joint Surg [Am]* 69: 1319–1327
89. McGregor IA, Jackson IT (1972) The groin flap. *Br J Plast Surg* 25: 3–16
90. Gomis R, Bonnel F, Allieu Y (1979) Vascularisation du lambeau libre iliaque compose cutaneo-osseux (LLICCO). *Ann Chir Plast* 24: 241–251
91. Stock W, Lewan U, Dielert E, et al (1995) Spätergebnisse an der Hebestelle nach freier, mikrovaskulär gestielter Beckenkammtransplantation: Erfahrung in 95 Fällen. *Handchir Mikrochir Plast Chir* 27: 233–241
92. Liu J, Song D, Li J, et al (2015) Modified osteomyocutaneous iliac crest flaps transplantation. *J Plast Surg Hand Surg* 49: 102–106
93. Sakai K, Doi K, Kawai S (1991) Free vascularized thin corticoperiosteal graft. *Plast Reconstr Surg* 87: 290–298
94. Muramatsu K, Doi K, Ihara K, et al (2003) Recalcitrant posttraumatic nonunion of the humerus: 23 patients reconstructed with vascularized bone graft. *Acta Orthop Scand* 74: 95–97
95. Doi K, Sakai K (1994) Vascularized periosteal bone graft from the supracondylar region of the femur. *Microsurgery* 15: 305–315

96. Bakri K, Shin AY, Moran SL (2008) The vascularized medial femoral corticoperiosteal flap for reconstruction of bony defects within the upper and lower extremities. *Semin Plast Surg* 22: 228–233
97. Doi K, Hattori Y (2009) Vascularized bone graft from the supracondylar region of the femur. *Microsurgery* 29: 379–384
98. De Smet L (2009) Treatment of non-union of forearm bones with a free vascularised corticoperiosteal flap from the medial femoral condyle. *Acta Orthop Belg* 75: 611–615
99. Jones DB Jr, Rhee PC, Bishop AT, et al (2012) Free vascularized medial femoral condyle autograft for challenging upper extremity nonunions. *Hand Clin* 28: 493–501
100. Choudry UH, Bakri K, Moran SL, et al (2008) The vascularized medial femoral condyle periosteal bone flap for the treatment of recalcitrant bony nonunions. *Ann Plast Surg* 60: 174–180
101. Heppert V, Wagner C, Glatzel U, et al (2004) Infektionen am Unterarm. *Trauma Berufskrankh* 6: 237–242
102. Windhofer C, Michlits W, Karlbauer A, et al (2011) Treatment of segmental bone and soft-tissue defects of the forearm with the free osteocutaneous lateral arm flap. *J Trauma* 70: 1286–1290
103. Teoh LC, Khoo DB, Lim BH, et al (1995) Osteocutaneous lateral arm flap in hand reconstruction. *Ann Acad Med Singapore* 24: 15–20
104. Sauerbier M, Germann G, Giessler GA, et al (2012) The free lateral arm flap—a reliable option for reconstruction of the forearm and hand. *Hand [NY]* 7: 163–171
105. Haas F, Rappl T, Koch H, et al (2003) Free osteocutaneous lateral arm flap: anatomy and clinical applications. *Microsurgery* 23: 87–95
106. Arnez ZM, Kersnic M, Smith RW, et al (1991) Free lateral arm osteocutaneous neurosensory flap for thumb reconstruction. *J Hand Surg [Br]* 16: 395–399