

Therapiekonzepte und Langzeitergebnisse der Lipödemchirurgie

PHILIPP KRUPPA
POTSDAM

1. ISAPS INTERNATIONAL SURVEY ON AESTHETIC/COSMETIC PROCEDURES (2020) https://www.isaps.org/wp-content/uploads/2022/01/ISAPS-Global-Survey_2020.pdf; (Zugriff: 15.2.2022)
2. G-BA (2018) Zusammenfassende Dokumentation: Beratungsverfahren über eine Richtlinie zur Erprobung gem. § 137e SGB V – Liposuktion bei Lipödem
3. G-BA (2019) Methodenbewertung: Liposuktion wird befristet Kassenleistung bei Lipödem im Stadium III
4. Georgiou I, Kruppa P, Schmidt J, et al (2021) Liposuction for lipedema: functional therapy or aesthetic procedure? *Aesthet Plast Surg* 45: 212–213
5. Ghods M (2021) Standardisierung der chirurgischen Therapie bei Lipödem-Patienten [Habilitation]. Universität Potsdam. https://publishup.uni-potsdam.de/files/53829/ghods_habil.pdf
6. Kruppa P, Georgiou I, Biermann N, et al (2020) Lipödem – Pathogenese, Diagnose und Behandlungsoptionen. *Dtsch Ärztebl Int* 117: 396–403
7. Fetzer A, Fetzer S (2014) Lipoedema UK Big Survey 2014 Research Report
8. G-BA (2019) Erprobungsstudie soll offene Frage des Nutzens der Liposuktion bei Lipödem beantworten: G-BA beauftragt wissenschaftliche Institution mit Studienbegleitung
9. Wold LE, Hines EA, Allen EV (1951) Lipedema of the legs: a syndrome characterized by fat legs and orthostatic edema. *Ann Intern Med* 34:1243–1250
10. Földi E, Földi M (2006) Lipedema. In: Földi E, Földi M (Hrsg) *Földi's textbook of lymphology*. Elsevier, München, S. 417–427
11. Szolnok G, Borsos B, Barsony K et al (2008) Complete decongestive physiotherapy with and without pneumatic compression for treatment of lipedema: a pilot study. *Lymphology* 41: 40–44
12. Szolnok G, Nagy N, Kovacs RK, et al (2008) Complex decongestive physiotherapy decreases capillary fragility in lipedema. *Lymphology* 41: 161–166
13. Deri G, Weissleder H (1997) Vergleichende prä- und posttherapeutische Volumenmessungen in Beinsegmenten beim Lipödem. *Lymph Forsch* 1: 35–37
14. Siems W, Grune T, Voss P, et al (2005) Anti-fibrosclerotic effects of shock wave therapy in lipedema and cellulite. *BioFactors* 24: 275–282
15. Langendoen SI, Habbema L, Nijsten TE, et al (2009) Lipoedema: from clinical presentation to therapy. A review of the literature. *Brit J Dermatol* 161: 980–986
16. Szolnok G, Varga E, Varga M, et al (2011) Lymphedema treatment decreases pain intensity in lipedema. *Lymphology* 44: 178–182
17. AWMF (2015) Deutsche Gesellschaft für Phlebologie e.V. S1-Leitlinie Lipödem. AWMF Registernummer 037-012
18. Torre YS, Wadea R, Rosas V, Herbst KL (2018) Lipedema: friend and foe. *Horm Mol Biol Clin Investig* 33: 1–10
19. Reich-Schupke S, Mohren E, Stücker M (2018) Befragung zur Diagnostik und Therapie bei Patienten mit Lymphödem und Lipödem. *Hautarzt* 69: 471–477
20. Ghods M, Georgiou I, Schmidt J, et al (2021) Disease progression and comorbidities in lipedema patients – a 10-year retrospective analysis. *Dermatol Ther* 3: e14534
21. Child AH, Gordon KD, Sharpe P, et al (2010) Lipedema: an inherited condition. *Am J Med Genet A* 152a: 970–976
22. Warren AG, Janz BA, Borud LJ, et al (2007) Evaluation and management of the fat leg syndrome. *Plast Reconstr Surg* 119: 9e–15e

23. Faerber G (2017) Ernährungstherapie bei Lipödem und Adipositas – Ergebnisse eines leitliniengerechten Therapiekonzepts. *Vasomed* 29: 176–177
24. Nourollahi S, Mondry T, Herbst K (2013) Bucher's broom and selenium improve lipedema: a retrospective case study. *Altern Integ Med* 2: 1–7
25. Keith L, Seo CA, Rowsemitt C, et al (2020) Ketogenic diet as a potential intervention for lipedema. *Med hypotheses* 146: 110435
26. Roberto C, Cione E (2020) Lipedema and nutrition: what's the link? *Acta Scient Nutri Health* 4: 86–89
27. Rudkin GH, Miller TA (1994) Lipedema: a clinical entity distinct from lymphedema. *Plast Reconstr Surg* 94: 841–847
28. Sattler G, Hasche E, Rapprich S, et al (1997) Neue operative Behandlungsmöglichkeiten bei benignen Fettgewebskrankungen. *Zeitschr Hautkrankh* 8: 579–582
29. Herpertz U (2009) Adipositas-Diagnostik in der Lymphologie – Warum der BMI bei Ödemen unsinnig sein kann! *LymphForsch* 13: 34–37
30. Baumgartner A, Frambach Y (2016) Liposuction and lipoedema. *Phlebologie* 45: 47–53
31. Schmeller W BA (2014) Surgical aspects of liposuction in lipedema treatment: twelve questions – twelve answers. *LymphForsch* 18: 6–12
32. Pfister C, Dawczynski H, Schingale F (2020) Selenium deficiency in lymphedema and lipedem – a retrospective cross-sectional study from a specialized clinic. *Nutrients* 12: 1211
33. Rapprich S, Baum S, Kaak I, et al (2015) Therapie des Lipödems mittels Liposuktion im Rahmen eines umfassenden Behandlungskonzeptes – Ergebnisse eigener Studien. *Phlebologie* 44: 121–132
34. Schmeller W, Meier-Vollrath I (2006) Tumescient liposuction: a new and successful therapy for lipedema. *J Cutan Med Surg* 10: 7–10
35. Baumgartner A, Hueppe M, Schmeller W (2016) Long-term benefit of liposuction in patients with lipoedema: a follow-up study after an average of 4 and 8 years. *Brit J Dermatol* 174: 1061–1067
36. Wollina U, Goldman A, Heinig B (2010) Microcannular tumescient liposuction in advanced lipedema and Dercum's disease. *G Ital Dermatol Venereol* 145: 151–159
37. Cornely M (2007) Lymphologische Liposkulptur. *Hautarzt* 58: 653–658
38. Cornely M, Gensior M (2014) Update Lipödem 2014: Kölner Lipödemstudie. *LymphForsch* 18: 66–71
39. Münch D (2017) Wasserstrahlassistierte Liposuktion zur Therapie des Lipödems. *J Ästhet Chir* 10: 71–78
40. Dadras M, Mallinger P, Corterier C, et al (2017) Liposuction in the treatment of lipedema: a longitudinal study. *Arch Plast Surg* 44: 324–331
41. Iverson RE, Lynch DJ (2004) Practice advisory on liposuction. *Plast Reconstr Surg* 213: 1478–1495
42. G-BA (2019) Abschlussbericht Beratungsverfahren nach §135 Absatz 1, §137c und §136 Absatz 1 Satz 1 Nummer 2 SGB V – Liposuktion bei Lipödem im Stadium III
43. Schmeller W, Hüppe M, Meier-Vollrath I (2012) Tumescient liposuction in lipoedema yields good long-term results. *Brit J Dermatol* 166: 161–168
44. Rapprich S, Dingler A, Podda M (2011) Liposuction is an effective treatment for lipedema—results of a study with 25 patients. *J Deutsch Dermatol Gesellsch* 9: 33–40
45. Stutz JJ, Krahl D (2009) Water jet-assisted liposuction for patients with lipoedema: histologic and immunohistologic analysis of the aspirates of 30 lipoedema patients. *Aesthet Plast Surg* 33: 153–162
46. Hoefflin SM, Bornstein JB, Gordon M (2001) General anesthesia in an office-based plastic surgical facility: a report on more than 23,000 consecutive office-based procedures under general anesthesia with no significant anesthetic complications. *Plast Reconstr Surg* 107: 243–251
47. Ghods M, Kruppa P (2018) Surgical treatment of lipoedema. *Handchir Mikrochir Plast Chir* 50: 400–411
48. Sattler G, Sommer B, Hanke CW (2003) Lehrbuch der Liposuktion. Thieme, Stuttgart
49. Hanke CW, Coleman WP 3rd (1999) Morbidity and mortality related to liposuction. Questions and answers. *Dermatol Clin* 17: 899–902
50. Reich-Schupke S, Schmeller W, Brauer WJ, et al (2017) S1-Leitlinie: Lipödem. *J Deutsch Dermatol Gesellsch* 15: 758–767
51. Markman B, Barton FE Jr (1987) Anatomy of the subcutaneous tissue of the trunk and lower extremity. *Plast Reconstr Surg* 80: 248–254
52. Nakajima H, Imanishi N, Minabe T, et al (2004) Anatomical study of subcutaneous adipofascial tissue: a concept of the protective adipofascial system (PAFS) and lubricant adipofascial system (LAFS). *Scand J Plast Reconstr Surg Hand Surg* 38: 261–266
53. Herlin C, Chica-Rosa A, Subsol G, et al (2015) Three-dimensional study of the skin/subcutaneous complex using in vivo whole body 3T MRI: review of the literature and confirmation of a generic pattern of organization. *Surg Radiol Anat* 37: 731–741
54. Gasparotti M (1992) Superficial liposuction: a new application of the technique for aged and flaccid skin. *Aesthet Plast Surg* 16: 141–153
55. Gasperoni C, Gasperoni P (2006) Subdermal liposuction: long-term experience. *Clin Plast Surg* 33: 63–73
56. Bolivar de Souza Pinto E, Erazo IP, Prado Filho FS, et al (1996) Superficial liposuction. *Aesthet Plast Surg* 20: 111–122
57. Kruppa P, Georgiou I, Schmidt J, et al (2022) A 10-year retrospective before-and-after study of lipedema surgery: patient-reported lipedema-associated symptom improvement after multistage liposuction. *Plast Reconstr Surg* 149: 529e–541e
58. Rajagopalan S, Mascha E, Na J, et al (2008) The effects of mild perioperative hypothermia on blood loss and transfusion requirement. *Anesthesiol* 108: 71–77
59. Regatieri FL, Mosquera MS (2006) Liposuction anesthesia techniques. *Clin Plast Surg* 33: 27–37
60. Rodríguez-García FA, Sánchez-Peña MA, de Andrea GT, et al (2022) Efficacy and safety of tranexamic acid for the control of surgical bleeding in patients under liposuction. *Aesthet Plast Surg* 46: 258–264
61. Rohrich RJ, Leedy JE, Swamy R, et al (2006) Fluid resuscitation in liposuction: a retrospective review of 89 consecutive patients. *Plast Reconstr Surg* 117: 431–435
62. Granados-Tinajero S, Buenrostro-Vásquez C, Cárdenas-Maytorena C, et al (2019) Anesthesia management for large-volume liposuction. DOI: 10.5772/Intechopen.83630

63. Burger R, Jung M, Becker J, et al (2019) Wirkung von Aqua-Cycling als Bewegungstherapie bei der Diagnose Lipödem. *Phlebologie* 48: 182–186
64. Messingham MJ, Arpey CJ (2005) Update on the use of antibiotics in cutaneous surgery. *Dermatol Surg* 31: 1068–1078
65. Li W, Li V, Hutnik M, et al (2012) Tumor angiogenesis as a target for dietary cancer prevention. *J Oncol* 2012: 879623
66. Coetzee O, Filatova D (2017) Lipidema and lymphedema: the “leaky lymph,” weight loss resistance and the intestinal permeability connection. *EC Nutrition* 11: 233–243
67. Ehrlich C, Iker E, Herbst K, et al (2016) Lymphedema and lipedema nutrition guide: foods, vitamins, minerals, and supplements: *Lymph Notes*
68. Peled AW, Slavin SA, Brorson H (2012) Long-term outcome after surgical treatment of lipedema. *Ann Plast Surg* 68: 303–307
69. Wollina U, Heinig B (2019) Treatment of lipedema by low-volume micro-cannular liposuction in tumescent anesthesia: Results in 111 patients. *Dermatol Ther* 32: e12820
70. Cobos L, Herbst KL, Ussery C (2019) Liposuction for lipedema (persistent fat) in the US improves quality of life. *J Endocr Soc* 3: MON-116
71. Bauer AT, von Lukowicz D, Lossagk K, et al (2019) New insights on lipedema: the enigmatic disease of the peripheral fat. *Plast Reconstr Surg* 144: 1475–1484
72. Witte T, Dadras M, Heck F et al (2020) Water-jet assisted liposuction for the treatment of lipedema: standardized treatment protocol and results of 63 patients. *J Plast Reconstr Aesthet Surg* 73: 1637–1644
73. Schlosshauer T, Heiss C, von Hollen AK, et al (2021) Liposuction treatment improves disease-specific quality of life in lipoedema patients. *Int Wound J* 18: 923–931
74. Baumgartner A, Hueppe M, Meier-Vollrath I et al (2021) Improvements in patients with lipedema 4, 8 and 12 years after liposuction. *Phlebology* 36: 152–159
75. Brorson H (2012) Liposuction normalizes – in contrast to other therapies – lymphedema-induced adipose tissue hypertrophy. *Handchir Mikrochir Plast Chir* 44: 348–354
76. Brorson H (2012) From lymph to fat: liposuction as a treatment for complete reduction of lymphedema. *Int J Low Extrem Wounds* 11: 10–19