LITERATUR

1. *Anderson R, Baumgartner SA, Gusek-Schneider G (2002)* Kongenitale Ptosis: Refraktionsfehler, Amblyopie und Störungen des Binokularsehens der einzelnen Ptosisformen-Befunde von 77 Patienten und Literaturubersicht. Klin Monatsbl Augenheilkd 219: 340–348
2. *Augustin JA (2019)* Augenheilkunde, Kaden, Mannheim
3. *Bedrossian EH (1991)* HIV and banked fascia lata. Opthal plast Reconstr surg 7: 284–288
4. *Benatar M (2006)* A systematic review of diagnostic studies in myasthenia gravis. Neuromuscul Disord 16: 459–467
5. *Berke RN (1961)* Blepharoptosis-congenital and traumatic-types of operation indicated for congenital and acquired ptosis. In: Plastic and reconstructive surgery of the eye and adnexa (Hrsg: Troutman RC, Converse JM, Smith B) S 125–129. Butterworth, Washington
6. *Berke RN (1958)* Results of resection of the levator muscle through a skin incision in congenital ptosis. Trans Am Ophthalmol Soc 56: 288–322, discussion 323–326
7. *Bernardini FP, Cetinkaya A, Zambelli A (2013)* Treatment of unilateral congenital ptosis: putting the debate to rest. Curr Opin Ophthalmol 24: 484–487
8. *Blaes F (2018)* Diagnostik der Myasthenia gravis. Akt Neurol 45: 249–252
9. *Bril V et al (2023)* Safety and efficacy of rozanolixizumab in patients with generalized myasthenia gravis (MycarinG): a randomized, double-blind, placebo-controlled, adaptive phase 3 study. Lancet Neurol 22: 383-394
10. *Brodsky M C (2010)* Pediatric Neuro-Ophthalmology, Springer, Heidelberg
11. *Brook JD et al (1992)* Molecular basis of myotonic dystrophy: Expansion of a trinucleotide (CTG) repeat at the 3' end of a transcript encoding a protein kinase family member. Cell 69: 385
12. *Burk A, B ROW (2014)* Checkliste Augenheilkunde. S135, Thieme, Stuttgart

12b. *Burk A, Burk, R, Kaden R (2019)* Differentialdiagnose in der Augenheilkunde – vom Befund zur Diagnose. Kaden, Heidelberg

13. *Crawford JS (1977)* Repair of ptosis using frontalis muscle and fascia lata: a 20-year review. Ophthalmic Surg 8: 31–40
14. *Demer JL, Clark RA, Engle EC (2005)* Magnetic resonance imaging evidence for widespread orbital dysinnervation in congenital fibrosis of extraocular muscles due to mutations in *KIF21A*. Invest Ophthalmol Vis Sci 46: 530–539
15. *Deschauer M (2012)* Mitochondriale Erkrankungen im Erwachsenenalter. Medizinische Genetik 24: 169–175
16. *Diab MMM, Abd-Elaziz K, Richard CA (2023)* Allen Combined levator and frontalis muscle advancement flaps for recurrent severe congenital ptosis. Eye 37: 1100–1106
17. *Ediriwickrema LS et al (2019)* Single suture Mueller muscle conjunctival resection (ssMMCR): a modified technique for ptosis repair. Ophthalmic Plast Reconstr Surg 35: 403–406
18. *Engle EC et a (1994)* Oculomotor nerve and muscle abnormalities in congenital fibrosis of the extraocular muscle to the centrometric region of chromosome 12. Nat Genet 7: 69-73
19. *Engle EC et al (2002)* CEFOM 1, the classic familial form of congenital fibrosis of the extraocular muscle, is generally heterogeneous but does not result from mutations in ARIX. BMC Genet 3: 3
20. *Epstein GA, Putterman AM (1984)* Super-maximum levator resection for severe unilateral congenital blepharoptosis. Ophthalmic Surg 15: 971–979
21. *Esser J (2015)* Kinderophthalmologie In: Schlaglicht Augenheilkunde (Hrsg. Lang, GK, Lang GE) S 225, Thieme, Stuttgart
22. *Gilhus NE et al (2011)* Myasthenia gravis: a review of available treatment approaches. Autoimmune Dis 5: 847393
23. *Glatt HJ, Fett DR, Putterman AM (1990)* Comparison of 2,5 % and 10 % phenylephrine in the elevation of upper eyelids with ptosis. Ophthalmic Surg 21: 173–176
24. *Griepentrog GJ, Diehl NN, Mohney BG (2011)* Incidence and demographics of childhood ptosis. Ophthalmology 118: 1180–1183
25. *Han K, Kang J (1993)* Tripartite frontalis muscle flap transposition for blepharoptosis. Ann Plast Surg 30: 224–232
26. *Harley RD, Rodriguez MM, Crawford JS (1978)* Congenital fibrosis of the extraocular muscles. Trns Am Ophthalmol Soc 76: 197–226
27. *Harrad RA, Graham CM, Collin JRO (1988)* Amblyopia and Strabismus in congenital ptosis. Eye 2: 625–627
28. *Hintschich C (2012)* Ptosischirurgie Aktuelle Aspekte. Ophthalmologie 109: 430–437
29. *Hübner H (2012)* Kongenitale Ptosis. Klin Monatsbl Augenheilkd 229: 16–20
30. *Hwang K, Kim JH (2015)* The risk of blepharoptosis in contact lens wearers. J Craniofac Surg 26: e373–374
31. *Katowitz JA (1979)* Frontalis suspension in congenital ptosis using 4-0 cable type polyfilament suture. Arch Ophthalmol 97: 1659–1663
32. *Katowitz RW, Katowitz JA (2018)* Pediatric Oculoplastic Surgery. Chapter 22: Pediatric Ptosis. Springer, New York
33. *Papageorgiou E, Bock SW, Schiefer U (2007)* Myotone Dystrophie Curschmann-Steinert, Klin Monatsbl Augenheilkd 224: 70–75
34. *Peou C, Lekskul A, Chokthaweesak W (2022)* Maximal Levator Resection beyond Whitnall's Ligament in severe simple congenital Ptosis with poor Levator function Clinical Ophthalmology 16: 441–452
35. *Latting MW, Huggins AB, Marx DP, Giacometti JN (2017)* Clinical evaluation of blepharoptosis: distinguishing age-related ptosis from masquerade conditions. Semin Plast Surg 31: 5–16
36. *Medel R, Luzmaria V, Charlotte Wolley D (2014)* Early frontalis flap surgery as first option to correct congenital ptosis with poor levator function Orbit 33: 164–168
37. *Medel R et al (2018)* Frontalis muscle flap versus maximal anterior levator resection as a first option for patients with severe congenital ptosis. Ophthal Plast Reconstr Surg 34: 565–569
38. *Mehat MS, Sood V, Madge S (2012)* Blepharoptosis following anterior segment surgery: a new theory for an old problem. Orbit 31: 274–278
39. *Michels KS et al (2007)* Muller muscle-conjuctiva resection to correct ptosis in high-risk patients. Ophthalmic Plast Reconstr Surg 23: 363-366
40. *Müller T, Deschauer M (2004)* Oculopharyngeal muscular dystrophy. Nervenheilkunde 23: 442–446
41. *Pak J, Shields M, Putterman AM (2006)* Superior tarsectomy augments super-maximum levator resection in correction of severe blepharoptosis with poor levator function. Ophthalmology 113: 1201–1208

42. *Pfeiffer, MJ (2010)* Brow suspension in comclicated unilateral ptosis: Frontalis muscle stinulation via contralateral levator recession. In: Essentials in ophthalmology. Oculoplastics and Orbit (Hrsg: Guthoff RF, Katowitz JA) S 117-123, Springer, Berlin
43. *Putterman AM, Urist MJ (1975)* Muller muscle-conjunctiva resection. Technique for treatment of blepharoptosis. Arch Ophthalmol 93: 619–623
44. *Rasiah S et al (2017)* Etiology of pediatric acquired blepharoptosis. J AAPOS 21: 485–487
45. *Ramirez O, Peña G (2004)* Frontalis muscle advancement: a dynamic structure for the treatment of severe congenital eyelid ptosis. Plast Reconstr Surg 113: 1841–1849
46. *Roelofs KA et al (2023)* Optimizing management of asymmetric ptosis: A comparison of three posterior approach resection algorithms. Ophthalmic Plast Reconstr Surg 39: 72–75
47. *Selvan C et al (2013)* Thyroid associated orbitopathy with ocular myasthenia in primary hypothyroidism: Keep those eyes open. Indian J Endocrinol Metab 17 (Suppl 3): S657–S659
48. *Singh A, Bahuguna C, Nagpal R, Kumar B (2016)* Surgical management of third nerve palsy. Oman J Ophthalmol 9: 80–86
49. *Spaeth EB (1947)* The Marcus Gunn phenomenon: discussion, presentation of four instances and consideration of its surgical correction. Am J Ophthalmol 30: 143–158
50. *Steel SH, Harrad RA (1996)* Unilateral congenital ptosis with ipsilateral superior rectus muscle overaction. Am J Ophthalmol 122: 550–556
51. *Song R, Song Y (1982)* Treatment of blepharo-ptosis: direct transplantation of the frontalis muscle of the upper eyelid. Clin Plast Surg 9: 45–48
52. *Traboulsi EM (2004)* Congenital abnormalities of cranial nerve development: overview, molecular mechanisms, and further evidence of hetero-geneity and complexity of syndromes with congenital limitation of eye movements. Truns Am Ophthalmol Soc 102: 373–389
53. *Tillett CW, Tillett GM (1966)* Silicone sling in the correction of ptosis. Am J Ophthalmol 62: 521–523
54. *Wang SM et al (1998)* Congenital fibrosis of the extraocular muscles type 2, an inherited exotropic strabismus fixus, maps to distal 11q13. Am J Hum Genet 63: 517–525
55. *Waller RR (1981)* Evaluation and management of the ptosis patient. In: Oculoplastic surgery (Hrsg: McCord CW) S15–69, Raven, New York
56. *Weaver DT (2018)* Current management of childhood ptosis. Curr Opin Ophthalmol 29: 395–400
57. *Wee SW, Lee JK (2104)* Clinical outcomes of conjuctiva-Muller muscle resection: association with phenylephrine test-negative blepharoptosis and dry eye syndrome. J Craniofac Surg 25: 898–901
58. *Wiendl H et al (2022)* Diagnostik und Therapie myasthener Syndrome, S2k-Leitlinie, 2022, DGN, in: Leitlinien für Diagnostik und Therapie in der Neurologie (Hrsg: Deutsche Gesellschaft für Neurologie) www.dgn.org/leitlinien
59. *Wilson ME, Johnson RW (1991)* Congenital ptosis: long-term results of treatment using lyophilized fascia lata for frontalis suspensions. Ophthalmo-logy 98: 1234-1237
60. *Wong SH (2022)* Clinical sign in neuro-ophthal-mology: Eye signs in Myasthenia Gravis, Ann Indian Acad Neurol 25 (Suppl 2): S91–S93
61. *Wu P, Ma J et al (2022)* Advances in the genetics of congenital ptosis. Ophthalmic Res 65: 131–139
62. *Yu-Wai-Man P et al (2014)* A national epidemio-logical study of chronic progressive external ophthalmoplegia in the United Kingdom – mole-cular genetic features and neurological burden. Invest ophthalmol vis sci 55: 5109
63. *Zlotogora J, Sagi M, Cohen T (1983)* The blepharophimosis, ptosis, and epicanthus inversus syndrome: delineation of two types. Am J Hum Genet 35: 1020–1027
64. *Zhang HM et al (1999)* 109 cases of blepharo-ptosis treated by forked frontalis muscle aponeurosis procedure with long-term follow-up. Br J Plast Surg 52: 524–529
65. *Zhang J-Y, Zhu X-W, Ding X, Lin M (2019)* Prevalence of amblyopia in congenital blepharo-ptosis: a systematic review and Meta-analysis. Int J Opthalmol 12: 1187–1193
66. *Zhou L, Chan TS (1988)* Frontalis myofascial flap from eyebrow region for the correction of ptosis of the upper eyelid. Eur J Plast Surg 11: 73

KORRESPONDENZADRESSEN:

Ganna Lysenko, FEBO

Klinikum der Landeshauptstadt Stuttgart gKAöR
Augenklinik, Kopf- und Neuro-zentrum, Standort Katharinen-hospital, Haus K
Kriegsbergstraße 60
70174 Stuttgart

g.lysenko@klinikum-stuttgart.de

Einhaltung ethischer Richtlinien

Interessenkonflikt: Gemäß den Richtlinien des Kaden Verlages werden Autoren und Wissenschaftlichen Leitung im Rahmen der Manuskripterstellung und Manuskriptfreigabe aufgefordert, eine vollständige Erklärung zu ihren finanziellen und nicht finanziellen Interessen abzugeben.

Autorin: Ganna Lysenko, FEBO: *1. Finanzielle Interessen:* keine; *2. Nicht finanzielle Interessen:* DOG

Wissenschaftliche Leitung: Die Wissenschaftliche Leitung der zertifizierten Fortbildung erfolgt durch Ganna Lysenko: *1. Finanzielle Interessen:* keine; *2. Nicht finanzielle Interessen:* DOG

Der Verlag erklärt, dass für die Publikation dieser CME-Fortbildung keine Sponsorengelder an den Verlag fließen.

Für diesen Beitrag wurden von den Autoren keine Studien an Menschen oder Tieren durchgeführt. Für die aufgeführten Studien gelten die jeweils dort angegebenen ethischen Richtlinien. Für Bildmaterial oder anderweitige Angaben innerhalb des Manuskripts, über die Patienten zu identifizieren sind, liegt von ihnen und/oder ihren gesetzlichen Vertretern eine schriftliche Einwilligung vor.